

DEC 08 2004

PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	Brian J. Brown, Michael Davis, David Friesen, Timothy J. Ley and Sean Skubitz
Application No.:	10/705273
Filed:	November 10, 2003
For:	Improved Longitudinally Flexible Expandable Stent
Group Art Unit:	3738

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Docket No.: S63.2N-6769-US03

## POWER OF ATTORNEY FROM ASSIGNEE

SciMed Life Systems, Inc., as assignee of the entire interest of the above identified patent application, hereby appoints all practitioners of Customer No. 490 to insert the docket no., filing date and application number of said application above when known; to prosecute this application and any application claiming priority therefrom; to execute any terminal disclaimers on behalf of assignee; and to transact all business in the Patent and Trademark Office connected therewith, and I hereby authorize them to act and rely on instructions from, and to communicate directly with, the firm or person which sent this case to VIDAS, ARRETT & STEINKRAUS unless or until I instruct VIDAS, ARRETT & STEINKRAUS in writing to the contrary.

Dated this 3rd day of December, 2004.

(Name of Company)

(Signature)

(Title)

SciMed Life Systems, Inc  
By: [Signature]  
Its: Todd Messer  
Patent Counsel

(Filing date, application number and docket number may be left blank at time of signing)

**VIDAS, ARRETT & STEINKRAUS**  
Suite 2000, 6109 Blue Circle Drive, Minnetonka, Minnesota 55343-9185, USA  
Phone (952) 563-3000 Facsimile (952) 563-3001

BEST AVAILABLE COPY

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**